ELSEVIER

Journal of Materials Processing Technology 139 (2003) 648–649

Journal of Materials Processing Technology

www.elsevier.com/locate/jmatprotec

Author Index of Volume 139

Adam, L., 514
Aikawa, N., 368
Armitage, A.W., 160
Au, A.Y.M., 302

Bae, W.B., 547
Baker, J.R., 488
Balaji, A.K., 488
Ball, J.A.R., 291
Baoyuan, S., 444
Barlat, F., 1
Barnes, S., 585
Bhat, R., 628
Bing, S., 243
Bing, Z., 332
Bryden, B.G., 585
Byrd, P.J., 71

Cai, H., 233
Chan, F.T.S., 267
Chan, K.K., 212
Chan, L.C., 578
Chan, S.F., 8, 212, 527
Chan, W.H., 96
Chang, B.H., 635
Chen, R.S., 337
Chen, W., 229
Cheng, K.W.E., 578
Chengying, L., 40
Chengyu, J., 332
Choi, S.H., 1
Chow, C.L., 553
Chu, E., 553
Chu, K.F., 505
Chung, C.Y., 434
Chung, K., 1
Chung, K.T., 15
Chunlon, S., 624

Davey, K., 559
Daxin, G., 535
Dejin, H., 237
Dekkers, R., 385
Deng, G., 247
Deng, H.B., 253
Devananda, G., 628
Ding, Q., 229
Doherty-Bigara, P., 357
Duan, J., 247

Fan, J.P., 510
Fei, R., 77
Fernandez, J., 117
Fuchizawa, S., 58
Fuh, J.Y.H., 81
Fung, R.Y.K., 302

Gao, C., 226
Gao, L., 267
Geddam, A., 15, 21
Gethin, D.T., 567
Goh, W.T., 103
Goodhead, T.C., 322, 327
Goto, Y., 341
Gotoh, M., 195, 201
Groombridge, P., 357
Guilemany, J.M., 117
Guo, J.T., 337
Guoli, J., 535

Haili, W., 237
Han, J., 589
Hanada, K., 362
Hassan, M.A., 408
Hatanaka, N., 64
Hayashi, K., 368
He, W., 233
Hino, R., 341
Holm, H., 499
Hong, S.Z., 462
Hong, S.-Z., 469
Hongsheng, X., 543
Hsu, Y.Y., 127
Hu, Y.N., 253
Hua, S., 237
Huang, G.Q., 51, 310, 481
Huifen, W., 613
Huiqin, P., 263
Hulme, A.J., 322
Humphreys, P., 147
Hwang, B.C., 547

Iovenitti, P., 110
Ip, A.W.H., 302
Ip, W.H., 134
Ishigure, H., 58

Jawahir, I.S., 488
Jeong, C.S., 428
Jia, L.R., 457
Jian, C., 613
Jian, S., 195
Jiang, Z.H., 257
Jianshou, K., 624
Jiantong, W., 444
Jie, L., 263
Jo, H.H., 428
Johnson, K.G., 348
Jun, Z., 444

Kang, B.-S., 187
Kang, M., 589
Kang, S.-J., 187
Kaushik, V., 642
Keung, K.W., 134
Khan, M.K., 348
Khoei, A.R., 567
Kim, B.M., 414, 422, 428
Kim, D., 1
Kim, D.H., 414
Kim, D.J., 422
Kim, J., 187
Kim, K.J., 1
Kjeldsen, H.C.E., 499
Kleinermann, J.-P., 521
Knap, F., 164
Kong, L., 81
Krakowiak, M., 164
Kristensen, J.K., 499
Kruzel, R., 164
Ku, H.S., 291
Kumara, S.R.T., 178
Kwan, R., 8
Kwong, W.C., 35
Kwong, W.-C., 613
Kwong, W.-c., 619

Lam, T.W., 96
Lampke, Th., 140
Lau, F., 457
Lau, H.Y.K., 402
Lau, K.H., 170
Law, C.K., 212, 527
Law, K.M.Y., 21
Lee, D.J., 422
Lee, H.I., 547
Lee, K.S., 81
Lee, S.F., 35, 44, 604
Lee, S.-F., 613
Lee, S.-f., 619
Lee, S.H., 315
Lee, S.K., 428
Lee, S.W., 51
Lee, T.C., 208, 510
Lee, W.B., 296, 457
Lee, W.S., 578
Lee, Y., 414
Lee, Y.-H., 178
Lei, L.-P., 187
Lei, W.T., 127
Li, G.S., 337
Li, L., 71, 263

Elsevier B.V.
doi:10.1016/S0924-0136(03)00737-4

Li, P., 267
Li, X., 315
Li, Y., 281
Liang, L., 243
Liao, L.P., 253
Lim, M.K., 379
Ling, L.S., 81
Liu, D., 77
Liu, X.L., 81
Liu, Z., 226
Lo, K.K., 604
Low, D.K.Y., 71
Lu, M.T.H., 402
Luo, J., 373

Maeda, Y., 201
Mak, K.L., 51, 310, 402, 481
Man, H.C., 296
Manabe, K., 368
Mann, D., 120
Masood, S.H., 110
Masters, I., 567
Mayuzumi, M., 362
McCurry, L., 147
McIvor, R., 147
Min, Q., 444
Ming, C., 237
Miyazaki, M., 368
Moon, J.G., 589

Nakayama, N., 362
Narazaki, M., 58
Nee, A.Y.C., 81
Ng, W.-H., 44
Ning, H., 332

Oh, K.H., 1
Oloyede, A., 357

Padmanabhan, K.A., 642
Pashby, I.R., 585
Pater, Z., 153
Ponthot, J.-P., 514, 521

Qi, J., 273

Raghukandan, K., 573
Ramachandra, K., 628
Rao, B., 208
Rao, K.P., 434
Rattanawong, W., 110
Robson, S., 327
Rouch, K.E., 488

Samuel, G.L., 90
Sankaran, S., 642
Sano, T., 362
Sarwar, M., 160
Satoh, J., 201
Shangping, L., 263
Shen, B., 310
Shi, J., 440
Shin, K.S., 1
Shirayori, A., 58
Shousheng, C., 263
Shunmugam, M.S., 90
Sik-Fun, L., 624
Siores, E., 44, 291
Siu, F., 291
Soergel, F., 140
Soo, S.C., 219
Sridhar, B.R., 628
Stratton, R., 120
Subramanya Sarma, V., 642
Sun, M.L., 448

Tai, W.H., 553
Takakura, N., 64, 408
Tang, C.Y., 208, 510, 578
Tang, T.K.Y., 596
Tao, B., 440
Toncich, D., 35
Toyoshima, S., 195
Tsui, F., 535

Utschick, H., 140

Venuvinod, P.K., 394

Wang, C.Y., 277
Wang, G., 247, 465
Wang, G.X., 462
Wang, H., 286
Wang, J., 286
Wang, K.L., 273, 448
Wang, X.C., 310
Wang, Y., 465
Wang, Z., 619
Ward, M.J., 559
Wei, X., 277
Wei, X.G., 448
Wengui, S., 263
Wielage, B., 140
Wiendahl, H.-P., 28
Wing-Cheong, K., 624
Wong, C.M., 96
Wong, S.Y., 394
Wong, T.T., 527
Worbs, J., 28

Xiankui, W., 40
Xinbo, L., 543
Xiong, M.Ch., 453
Xiong, S.M., 457
Xu, X., 281
Xu, Y., 77, 170
Xunli, F., 243

Yamaguchi, K., 64, 408
Yan, J.Q., 257
Yang, J., 465
Yang, M., 368
Yee, W.Y., 481
Yin, F., 462, 465
Yip, K.Y., 96
Yoshida, F., 341
Youliang, Z., 613, 624
Youn, J.R., 1
Yu, K.M., 219
Yu, Y., 281
Yuan, J., 440
Yuchen, H., 40
Yue, S., 465
Yuen, C.F., 394
Yuen, D., 134
Yung, K.L., 170

Zeng, J., 229
Zeng, Z.P., 462
Zeng, Z.-P., 469
Zhang, C., 286
Zhang, D., 233
Zhang, J., 267
Zhang, Q.B., 448
Zhang, X.M., 117
Zhang, Y., 472, 619
Zhang, Y.F., 81
Zhang, Z., 103, 373, 379
Zhao, B., 476
Zhao, H., 619
Zhao, L.C., 476
Zhigang, W., 332
Zhiliang, Z., 543
Zhongqing, W., 539
Zhou, H., 253
Zhou, J.B., 434
Zhou, Y., 635
Zhou, Z.H., 277
Zhu, D.Q., 476
Zhu, Y.H., 296
Zhu, Y.M., 273

ELSEVIER

Journal of Materials Processing Technology 139 (2003) 650–660

Journal of Materials Processing Technology

www.elsevier.com/locate/jmatprotec

Subject Index of Volume 139

AA5182
Formability of AA5182/polypropylene/AA5182 sandwich sheets, 1
Accuracy test
Error measurement of five-axis CNC machines with 3D probe–ball, 127
Acoustic emission
On-line tool breakage monitoring in turning, 237
Action
An intelligent and adaptive modelling and configuration approach to manufacturing systems control, 103
Advanced manufacturing systems
Automatic colour printing inspection by image processing, 373
Advanced manufacturing technology
Global manufacture by using conceptual design, 453
AE
Data fusion of distributed AE sensors for the detection of friction sources during press forming, 368
Aerospace materials
Spatter prevention during the laser drilling of selected aerospace materials, 71
Agile manufacturing
A multi-agent based manufacturing control strategy for responsive manufacturing, 379
AI reasoning
Study on intelligent reasoning of product assembly sequences and simulation, 476
ALE
An ALE approach for finite element ring-rolling simulation of profiled rings, 559
Aluminium recycling
Numerical modelling of the rotary furnace in aluminium recycling processes, 567
Aluminum alloy connecting rod
Technological study of liquid die forging for the aluminum alloy connecting rod of an air compressor, 462
Applets
Potential manufacturing productivity changes arising from the application of Internet-based technologies, 35
ASR
A process for incorporating automotive shredder residue into thermoplastic mouldings, 327
Assembly
Research and development on constraint-based product family design and assembly simulation, 257
Analysis and implementation of the BOM of a tree-type structure in MRPII, 535
Assembly simulation
Study on intelligent reasoning of product assembly sequences and simulation, 476
Automated glass processing
Development and implementation of visual feedback technology in automotive windscreen manufacture, 357
Automotive industry
A study into the use of the process failure mode and effects analysis (PFMEA) in the automotive industry in the UK, 348
Automotive shredder residue
A process for incorporating automotive shredder residue into thermoplastic mouldings, 327
Autonomous agent
An intelligent and adaptive modelling and configuration approach to manufacturing systems control, 103

Balanced scorecard (BSC)
e-Enterprise and management course development using strategy formulation framework for vocational education, 604
Barlat's and Hill's anisotropic yield functions
Formability of AA5182/polypropylene/AA5182 sandwich sheets, 1
Belief
An intelligent and adaptive modelling and configuration approach to manufacturing systems control, 103
Best fitting
A best-fitting algorithm for optimal location of large-scale blanks with free-form surfaces, 310
Blow process
Tooling requirements for glass container production for the narrow neck press and blow process, 160
BOM
Analysis and implementation of the BOM of a tree-type structure in MRPII, 535
Bulk heating and penetrating radiation
Variable frequency microwave (VFM) processing facilities and application in processing thermoplastic matrix composites, 291
Burnish depth
Finite element simulation of the shearing mechanism in the blanking of sheet metal, 64
Business management strategic planning
e-Enterprise and management course development using strategy formulation framework for vocational education, 604

CAD
Post-processing methodologies for off-line robot programming within computer integrated manufacture, 8
A Windows-native 3D plastic injection mold design system, 81
A Web-based CAD system, 229
A holonic architecture of the concurrent integrated process planning system, 267
CAD/CAE/CAM integrated system
Application of an integrated CAD/CAE/CAM system for die casting dies, 465
CAD/CAM
Research into the engineering application of reverse engineering technology, 472
Case-based reasoning
Development of a generic computer-aided process planning support system, 394

Elsevier B.V.
doi:10.1016/S0924-0136(03)00738-6

Cavity stringers
Superplasticity and cavity stringers in a multiphase NiAl-based intermetallic alloy, 337
CCD camera
A reference architecture for the design of an industrial temperature feedback welding control system, 499
Cemented carbide
Surface quality analysis of the electropolishing of cemented carbide, 253
Change management in SMEs
An organizational culture and the empowerment for change in SMEs in the Hong Kong manufacturing industry, 505
Characterisation
Variable frequency microwave (VFM) processing facilities and application in processing thermoplastic matrix composites, 291
Characteristic point
A new algorithm for evaluating form error: the valid characteristic point method with the rapidly contracted constraint zone, 247
Chip
Application of Smart Card security technology in manufacturing, 440
Circularity error
Evaluation of circularity and sphericity from coordinate measurement data, 90
Clad strength
Analysis of the explosive cladding of cu–low carbon steel plates, 573
Cluster diamond
Fabrication of Ti/cluster diamond/TiC in situ composites, 362
CNC
An USB-based software CNC system, 286
Collaborative
Collaborative product definition on the Internet: a case study, 51
Collaborative product design
A virtual design platform for interactive product design and visualization, 402
Colored Petri Net
Petri Net-based workflow management systems for in-process control in a plastic processing plant, 302
Colour inspection
Automatic colour printing inspection by image processing, 373
Combined extrusion
A UBET analysis of the non-axisymmetric combined extrusion process, 547
Compensation
Finite element method analysis and control stratagem for machining deformation of thin-walled components, 332
Component
Analysis and implementation of the BOM of a tree-type structure in MRPII, 535
Re-usable component design for supporting 3D modeling and simulation, 624
Composite
Fabrication of Ti/cluster diamond/TiC in situ composites, 362
Composite coating
Spatter prevention during the laser drilling of selected aerospace materials, 71
Computational efficiency
Numerical methods to improve the computational efficiency of thermal analysis for the die casting process, 457
Computer simulation
Computer simulation of sheet metal forming based on damage mechanics approach, 553
Computer vision
Automatic colour printing inspection by image processing, 373
Computer-aided design
Re-engineering the roto-casting mould making process, 527
Computer-aided process planning
Development of a generic computer-aided process planning support system, 394
Computer-controlled manufacturing
Development and implementation of visual feedback technology in automotive windscreen manufacture, 357
Conceptual design
Global manufacture by using conceptual design, 453
Conceptual model
Global manufacture by using conceptual design, 453
Concurrent engineering
Research on group decision support system for concurrent product development process, 619
Conical pipe
Conical pipe envelope formation process, 164
Conjugate gradient
An ALE approach for finite element ring-rolling simulation of profiled rings, 559
Consistency maintaining
Feature-based collaborative design, 613
Constitutive equations
A new model describing physical effects in crystals: the diagrammatic and analytic methods for macro-phenomenological theory, 444
Constraint
Research and development on constraint-based product family design and assembly simulation, 257
Constraint zone
A new algorithm for evaluating form error: the valid characteristic point method with the rapidly contracted constraint zone, 247
Constraints management
Systematic innovation and the underlying principles behind TRIZ and TOC, 120
Constructing cutting geometry
Research on forming theory of a 3D body by the constructing cutting geometry method (CCG), 539
Contact radius
Numerical study on the effect of electrode force in small-scale resistance spot welding, 635
Cooling rate
Microstructure of laser melted Zn–Al-based alloy, 296
Coordinate measurement data
Evaluation of circularity and sphericity from coordinate measurement data, 90
CORBA
A Web-based CAD system, 229
A holonic architecture of the concurrent integrated process planning system, 267
Corporate culture
8C plus 6C management model for multi-national corporation: a locally compatible and globally fit culture model, 44
Corrosive film
Surface quality analysis of the electropolishing of cemented carbide, 253
Coupled effect
A new model describing physical effects in crystals: the diagrammatic and analytic methods for macro-phenomenological theory, 444
Crack propagation
Finite element simulation of the shearing mechanism in the blanking of sheet metal, 64
Cross wedge rolling
Tools optimisation in cross wedge rolling, 153
Cu-based alloy
A one-cycle training technique for copper-based shape memory alloys, 117

Curl
Springback of sheet metal laminates in draw-bending, 341
Current density
Numerical study on the effect of electrode force in small-scale resistance spot welding, 635
Cutter
Research on forming theory of a 3D body by the constructing cutting geometry method (CCG), 539

3D modeling and simulation
Re-usable component design for supporting 3D modeling and simulation, 624
3D parameters
Study of the ground workpiece surface topography in high-speed precision grinding using a scanning tunneling microscopy, 263
Damage
Simulation of necking using a damage coupled finite element method, 510
Data fusion
Data fusion of distributed AE sensors for the detection of friction sources during press forming, 368
Data structure
Rapid prototyping for self-similarity design, 219
Dead metal zone
New processes to prevent a flow defect in the combined forward–backward cold extrusion of a piston-pin, 422
Deep drawing
Stretch-drawing of titanium sheets, 201
A novel technique of friction aided deep drawing using a blank-holder divided into four segments, 408
Design
An approach for interlinking design and process planning, 589
Design changes
An approach for interlinking design and process planning, 589
Design changes
Current practice of engineering change management in Hong Kong manufacturing industries, 481
Design style
A semantic style driving method for products' appearance design, 233
Desire
An intelligent and adaptive modelling and configuration approach to manufacturing systems control, 103
DFA
Study on intelligent reasoning of product assembly sequences and simulation, 476
Diamond
Force ratio in the circular sawing of granites with a diamond segmented blade, 281
Die casting
Numerical methods to improve the computational efficiency of thermal analysis for the die casting process, 457
Die casting dies
Application of an integrated CAD/CAE/CAM system for die casting dies, 465
Die material
Scratch characteristics for non-vinyl pre-coated metal sheet using the simple U-bending process, 414
Die radius
Scratch characteristics for non-vinyl pre-coated metal sheet using the simple U-bending process, 414
Die structure
Technological study of liquid die forging for the aluminum alloy connecting rod of an air compressor, 462
Technological study of the hydraulic extrusion–bulge forming of a three-way tube, 469
Diffusion bonding
A coupled thermo-viscoplastic formulation at finite strains for the numerical simulation of superplastic forming, 514
Digital signature
Security technology of smart cards applied in an information system, 243
Diode laser
Surface hardening of steel using a high power diode laser, 585
Discrete wavelet transform
Data fusion of distributed AE sensors for the detection of friction sources during press forming, 368
Distortion index
Stretch-drawing of titanium sheets, 201
Distributed multiple product development project
Advances in e-manufacturing: foundations of market-based collaborative planning and control of distributed multiple product development projects, 178
Divided blank-holder
A novel technique of friction aided deep drawing using a blank-holder divided into four segments, 408
DMA
Processing of natural-fibre reinforced polymers and the resulting dynamic–mechanical properties, 140
Draw-bending
Springback of sheet metal laminates in draw-bending, 341
Dual injection moulding
A process for incorporating automotive shredder residue into thermoplastic mouldings, 327
Ductile fracture criterion
Rigid–plastic finite element analysis of hydroforming process and its applications, 187

Eddy current loss
Dynamic modelling of magnetic materials for high frequency applications, 578
e-Enterprise and management
e-Enterprise and management course development using strategy formulation framework for vocational education, 604
Electrical discharge machining
Study of the surface integrity of the machined workpiece in the EDM of tungsten carbide, 315
Electrode force
Numerical study on the effect of electrode force in small-scale resistance spot welding, 635
Electroforming
Re-engineering the roto-casting mould making process, 527
Electronic commerce
Electronic commerce: supporting collaboration in the supply chain?, 147
Electronic data interchange
Electronic commerce: supporting collaboration in the supply chain?, 147
Electropolishing
Surface quality analysis of the electropolishing of cemented carbide, 253
Elements of an organizational change culture
An organizational culture and the empowerment for change in SMEs in the Hong Kong manufacturing industry, 505
Employee empowerment
An organizational culture and the empowerment for change in SMEs in the Hong Kong manufacturing industry, 505
End milling
A multi-sensor approach to the monitoring of end milling operations, 15
Error compensation in the end milling of pockets: a methodology, 21
Engineering changes
Current practice of engineering change management in Hong Kong manufacturing industries, 481

Envelope formation process
Conical pipe envelope formation process, 164
Enveloping feather
A new algorithm for evaluating form error: the valid characteristic point method with the rapidly contracted constraint zone, 247
Environmental legislation
A process for incorporating automotive shredder residue into thermoplastic mouldings, 327
ERP
Computerised price quoting system for injection mould manufacture, 212
Error compensation
Error compensation in the end milling of pockets: a methodology, 21
Error modeling and measurement
Error measurement of five-axis CNC machines with 3D probe–ball, 127
Experimental study
Deformation behavior of tubes with thickness deviation in circumferential direction during hydraulic free bulging, 58
Explosive clads
Analysis of the explosive cladding of cu–low carbon steel plates, 573
Extranet
Electronic commerce: supporting collaboration in the supply chain?, 147
Extruded length
A UBET analysis of the non-axisymmetric combined extrusion process, 547

FE simulation
New processes to prevent a flow defect in the combined forward–backward cold extrusion of a piston-pin, 422
Feature collaborative design
Feature-based collaborative design, 613
Feature operation
Feature-based collaborative design, 613
Feature recognition
Development of a generic computer-aided process planning support system, 394
FEM
Rigid–plastic finite element analysis of hydroforming process and its applications, 187
A simple volume loss recovery scheme in non-steady state metal forming analysis by the rigid–plastic FEM, 195
FEM simulation
Deformation behavior of tubes with thickness deviation in circumferential direction during hydraulic free bulging, 58
Flow stress of carbon steel 08F in temperature range of warm-forging, 543
Ferrite–pearlite
Thermomechanical processing and characterisation of multi-phase microstructures in a V-bearing medium carbon micro-alloyed steel, 642
Ferrites
Dynamic modelling of magnetic materials for high frequency applications, 578
FFT
Data fusion of distributed AE sensors for the detection of friction sources during press forming, 368
Fibre reinforced thermoplastic matrix composite materials
Variable frequency microwave (VFM) processing facilities and application in processing thermoplastic matrix composites, 291
Finite element
A reference architecture for the design of an industrial temperature feedback welding control system, 499
A coupled thermo-viscoplastic formulation at finite strains for the numerical simulation of superplastic forming, 514
Numerical modelling of the rotary furnace in aluminium recycling processes, 567
Finite element method
Finite element method analysis and control stratagem for machining deformation of thin-walled components, 332
Parameter identification and shape/process optimization in metal forming simulation, 521
Numerical study on the effect of electrode force in small-scale resistance spot welding, 635
Finite element simulation
Finite element simulation of the shearing mechanism in the blanking of sheet metal, 64
Simulation of necking using a damage coupled finite element method, 510
Five-axis machine tool
Error measurement of five-axis CNC machines with 3D probe–ball, 127
Flexible manufacturing system
Potential manufacturing productivity changes arising from the application of Internet-based technologies, 35
An intelligent hierarchical workstation control model for FMS, 134
Flow defect
New processes to prevent a flow defect in the combined forward–backward cold extrusion of a piston-pin, 422
Flow stress
Flow stress of carbon steel 08F in temperature range of warm-forging, 543
Force ratio
Force ratio in the circular sawing of granites with a diamond segmented blade, 281
Forging
A simple volume loss recovery scheme in non-steady state metal forming analysis by the rigid–plastic FEM, 195
Form error
A new algorithm for evaluating form error: the valid characteristic point method with the rapidly contracted constraint zone, 247
Forming limit diagram (FLD)
Formability of AA5182/polypropylene/AA5182 sandwich sheets, 1
Forming load
A UBET analysis of the non-axisymmetric combined extrusion process, 547
Forming processes optimization
Parameter identification and shape/process optimization in metal forming simulation, 521
Forming theory
Research on forming theory of a 3D body by the constructing cutting geometry method (CCG), 539
Forward–backward extrusion
New processes to prevent a flow defect in the combined forward–backward cold extrusion of a piston-pin, 422
Fractal dimension
Study of the ground workpiece surface topography in high-speed precision grinding using a scanning tunneling microscopy, 263
Fractal geometry
Rapid prototyping for self-similarity design, 219
Fractal modelling
Rapid prototyping for self-similarity design, 219
Free bulging
Deformation behavior of tubes with thickness deviation in circumferential direction during hydraulic free bulging, 58
Free-form
A best-fitting algorithm for optimal location of large-scale blanks with free-form surfaces, 310

Friction aided deep drawing
A novel technique of friction aided deep drawing using a blank-holder divided into four segments, 408
Friction detection
Data fusion of distributed AE sensors for the detection of friction sources during press forming, 368
Functional filler
Cost effective reprocessing of polyurethane by hot compression moulding, 322
Fused deposition modelling
A generic algorithm for a best part orientation system for complex parts in rapid prototyping, 110
Fuzzy evaluation
A semantic style driving method for products' appearance design, 233

General manufacturing resource (GMR)
Research on manufacturing resource modeling based on the O–O method, 40
Generalised approach
Post-processing methodologies for off-line robot programming within computer integrated manufacture, 8
Genetic algorithms
An intelligent hierarchical workstation control model for FMS, 134
Geometrical characteristic parameter
A new algorithm for evaluating form error: the valid characteristic point method with the rapidly contracted constraint zone, 247
Glass
Tooling requirements for glass container production for the narrow neck press and blow process, 160
Global manufacture
Global manufacture by using conceptual design, 453
Goal
An intelligent and adaptive modelling and configuration approach to manufacturing systems control, 103
Granite
Force ratio in the circular sawing of granites with a diamond segmented blade, 281
Granite sawability
Study on the fuzzy ranking of granite sawability, 277
Group decision support system agent
Research on group decision support system for concurrent product development process, 619

Heat transfer
Numerical modelling of the rotary furnace in aluminium recycling processes, 567
High frequency
Dynamic modelling of magnetic materials for high frequency applications, 578
High-speed precision grinding
Study of the ground workpiece surface topography in high-speed precision grinding using a scanning tunneling microscopy, 263
Holon
A holonic architecture of the concurrent integrated process planning system, 267
Hot extrusion
Determination of welding pressure in the non-steady-state porthole die extrusion of improved Al7003 hollow section tubes, 428
Hybrid models
Towards integration of hybrid models for optimized machining performance in intelligent manufacturing systems, 488
Hydraulic extrusion–bulge
Technological study of the hydraulic extrusion–bulge forming of a three-way tube, 469
Hydroforming process
Rigid–plastic finite element analysis of hydroforming process and its applications, 187

IC Cards
Application of Smart Card security technology in manufacturing, 440
IMI-834
Effect of machining parameters and heat treatment on the residual stress distribution in titanium alloy IMI-834, 628
IN 100
Spatter prevention during the laser drilling of selected aerospace materials, 71
In situ
Fabrication of Ti/cluster diamond/TiC in situ composites, 362
Incompressibility
A simple volume loss recovery scheme in non-steady state metal forming analysis by the rigid–plastic FEM, 195
Indentation
Fabrication of Ti/cluster diamond/TiC in situ composites, 362
Industrial automation
Automatic colour printing inspection by image processing, 373
Industrial design
A semantic style driving method for products' appearance design, 233
Injection mould cost
Computerised price quoting system for injection mould manufacture, 212
Injection moulding machine
Collaborative product definition on the Internet: a case study, 51
Integration
A holonic architecture of the concurrent integrated process planning system, 267
Intelligent hierarchical planning and scheduling
An intelligent hierarchical workstation control model for FMS, 134
Intelligent hub
Hong Kong productivity council—the I-hub of productivity in Hong Kong, 596
Intelligent manufacturing
Towards integration of hybrid models for optimized machining performance in intelligent manufacturing systems, 488
Intention
An intelligent and adaptive modelling and configuration approach to manufacturing systems control, 103
Interface
Analysis of the explosive cladding of cu–low carbon steel plates, 573
Internet
Collaborative product definition on the Internet: a case study, 51
Intranet
Electronic commerce: supporting collaboration in the supply chain?, 147
Inverse problems
Parameter identification and shape/process optimization in metal forming simulation, 521
Iosipescu test
An experimental study of shear damage and failure of aluminium alloy 2024T3, 208
IR vision
A reference architecture for the design of an industrial temperature feedback welding control system, 499
Iteration
A new algorithm for evaluating form error: the valid characteristic point method with the rapidly contracted constraint zone, 247

JAVA
Potential manufacturing productivity changes arising from the application of Internet-based technologies, 35

Java
A Web-based CAD system, 229
Judging criteria of the minimum zone
A new algorithm for evaluating form error: the valid characteristic point method with the rapidly contracted constraint zone, 247

KAVF
A UBET analysis of the non-axisymmetric combined extrusion process, 547
Kinematic analysis
Study of an intelligent micro-manipulator, 77

Large deformation
A coupled thermo-viscoplastic formulation at finite strains for the numerical simulation of superplastic forming, 514
Parameter identification and shape/process optimization in metal forming simulation, 521
Laser cladding
Microstructural characteristics of laser clad coatings with rare earth metal elements, 448
Laser drilling
Spatter prevention during the laser drilling of selected aerospace materials, 71
Laser marking
A study on the laser marking process of stainless steel, 273
Laser melting
Microstructure of laser melted Zn–Al-based alloy, 296
LDRA model
Study on intelligent reasoning of product assembly sequences and simulation, 476
Light/camera system calibration
Surface mapping of three-dimensional objects by a planar light scanning technique, 96
Liquid die forging
Technological study of liquid die forging for the aluminum alloy connecting rod of an air compressor, 462
LS-DYNA
Computer simulation of sheet metal forming based on damage mechanics approach, 553

Machine vision
Development and implementation of visual feedback technology in automotive windscreen manufacture, 357
Machining deformation
Finite element method analysis and control stratagem for machining deformation of thin-walled components, 332
Machining errors
Error compensation in the end milling of pockets: a methodology, 21
Machining feature
An approach for interlinking design and process planning, 589
Machining performance
Towards integration of hybrid models for optimized machining performance in intelligent manufacturing systems, 488
Machining time
Computerised price quoting system for injection mould manufacture, 212
Magnetics
Dynamic modelling of magnetic materials for high frequency applications, 578
Malcolm Baldrige National Quality Award (MBNQA) Education Criteria 1999
e-Enterprise and management course development using strategy formulation framework for vocational education, 604
Manufacturing information
An approach for interlinking design and process planning, 589
Manufacturing resource modeling
Research on manufacturing resource modeling based on the O–O method, 40
Manufacturing resources optimisation
A multi-agent based manufacturing control strategy for responsive manufacturing, 379
Manufacturing strategy
Systematic innovation and the underlying principles behind TRIZ and TOC, 120
Strategic capacity management: meeting technological demands and performance criteria, 385
Manufacturing system modelling and configuration
An intelligent and adaptive modelling and configuration approach to manufacturing systems control, 103
Manufacturing systems reconfiguration
A multi-agent based manufacturing control strategy for responsive manufacturing, 379
Manufacturing technology
Strategic capacity management: meeting technological demands and performance criteria, 385
e-Manufacturing
Advances in e-manufacturing: foundations of market-based collaborative planning and control of distributed multiple product development projects, 178
Material flow control
New processes to prevent a flow defect in the combined forward–backward cold extrusion of a piston-pin, 422
Mechanical alloying
Preparation of metastable precursors with different compositions of Ti–Al–Si by mechanical alloying, 434
Mechanical properties
Fabrication of Ti/cluster diamond/TiC in situ composites, 362
Metal forming
A simple volume loss recovery scheme in non-steady state metal forming analysis by the rigid–plastic FEM, 195
Methods
Simulation based analysis of complex production systems with methods of non-linear dynamics, 28
Micro-alloyed steel
Thermomechanical processing and characterisation of multi-phase microstructures in a V-bearing medium carbon micro-alloyed steel, 642
Microanalysis
Analysis of the explosive cladding of cu–low carbon steel plates, 573
Micro-EDM
A study of ultrasonically aided micro-electrical-discharge machining by the application of workpiece vibration, 226
Micro-manipulator
Study of an intelligent micro-manipulator, 77
Microscopic observation
An experimental study of shear damage and failure of aluminium alloy 2024T3, 208
Microstructure
Microstructure of laser melted Zn–Al-based alloy, 296
Microstructural characteristics of laser clad coatings with rare earth metal elements, 448
M–K theory
Formability of AA5182/polypropylene/AA5182 sandwich sheets, 1
Modeling
Analysis of the explosive cladding of cu–low carbon steel plates, 573
Moiré method
An experimental study of shear damage and failure of aluminium alloy 2024T3, 208
Monitoring of machining processes
A multi-sensor approach to the monitoring of end milling operations, 15

Motor power
On-line tool breakage monitoring in turning, 237
Mould making processes
Computerised price quoting system for injection mould manufacture, 212
Multi-agent systems
A multi-agent based manufacturing control strategy for responsive manufacturing, 379
Multi-sensor systems
A multi-sensor approach to the monitoring of end milling operations, 15
Multi-user interface
Feature-based collaborative design, 613

Nanometric scales
Study of the ground workpiece surface topography in high-speed precision grinding using a scanning tunneling microscopy, 263
Narrow neck press
Tooling requirements for glass container production for the narrow neck press and blow process, 160
Natural fibres
Processing of natural-fibre reinforced polymers and the resulting dynamic–mechanical properties, 140
Necking
Simulation of necking using a damage coupled finite element method, 510
Neural networks
Automatic colour printing inspection by image processing, 373
NiAl
Superplasticity and cavity stringers in a multiphase NiAl-based intermetallic alloy, 337
Nimonic 263
Spatter prevention during the laser drilling of selected aerospace materials, 71
Non-steady state analysis
A simple volume loss recovery scheme in non-steady state metal forming analysis by the rigid–plastic FEM, 195
Non-vinyl pre-coated metal (PCM)
Scratch characteristics for non-vinyl pre-coated metal sheet using the simple U-bending process, 414
Numerical simulation of metal flow and solidification
Application of an integrated CAD/CAE/CAM system for die casting dies, 465

Object-oriented
Re-usable component design for supporting 3D modeling and simulation, 624
Off-line control system
A reference architecture for the design of an industrial temperature feedback welding control system, 499
Off-line robot programming
Post-processing methodologies for off-line robot programming within computer integrated manufacture, 8
On-line control system
A reference architecture for the design of an industrial temperature feedback welding control system, 499
Optimization
Tools optimisation in cross wedge rolling, 153
Towards integration of hybrid models for optimized machining performance in intelligent manufacturing systems, 488
Optimization methods
Parameter identification and shape/process optimization in metal forming simulation, 521
Organisational structures
Strategic capacity management: meeting technological demands and performance criteria, 385
Organizational culture
An organizational culture and the empowerment for change in SMEs in the Hong Kong manufacturing industry, 505
Outsourcing
Strategic capacity management: meeting technological demands and performance criteria, 385

Parallel mechanism
Study of an intelligent micro-manipulator, 77
Parameter identification
Parameter identification and shape/process optimization in metal forming simulation, 521
Part orientation
A generic algorithm for a best part orientation system for complex parts in rapid prototyping, 110
Parting
A Windows-native 3D plastic injection mold design system, 81
Partnership sourcing
Electronic commerce: supporting collaboration in the supply chain?, 147
Pattern recognition
Automatic colour printing inspection by image processing, 373
PFMEA
A study into the use of the process failure mode and effects analysis (PFMEA) in the automotive industry in the UK, 348
Phase transformation
Microstructure of laser melted Zn–Al-based alloy, 296
Piezoelectric device
Study of an intelligent micro-manipulator, 77
Piston-pin
New processes to prevent a flow defect in the combined forward–backward cold extrusion of a piston-pin, 422
PK33
Spatter prevention during the laser drilling of selected aerospace materials, 71
Planar light scanning
Surface mapping of three-dimensional objects by a planar light scanning technique, 96
Plastic forming
Stretch-drawing of titanium sheets, 201
Plastic injection mold
A Windows-native 3D plastic injection mold design system, 81
Polyester moulding compound
Cost effective reprocessing of polyurethane by hot compression moulding, 322
Polypropylene
Formability of AA5182/polypropylene/AA5182 sandwich sheets, 1
Processing of natural-fibre reinforced polymers and the resulting dynamic–mechanical properties, 140
Polyurethane recycling
Cost effective reprocessing of polyurethane by hot compression moulding, 322
Porthole die
Determination of welding pressure in the non-steady-state porthole die extrusion of improved Al7003 hollow section tubes, 428
Post-processing methodologies
Post-processing methodologies for off-line robot programming within computer integrated manufacture, 8
Powder metallurgy
Preparation of metastable precursors with different compositions of Ti–Al–Si by mechanical alloying, 434
Power spectra
A multi-sensor approach to the monitoring of end milling operations, 15
Precipitation
A one-cycle training technique for copper-based shape memory alloys, 117

Preisach model
Dynamic modelling of magnetic materials for high frequency applications, 578
Primitive
Re-usable component design for supporting 3D modeling and simulation, 624
Principal effect
A new model describing physical effects in crystals: the diagrammatic and analytic methods for macro-phenomenological theory, 444
Process innovation
Strategic capacity management: meeting technological demands and performance criteria, 385
Process model
A reference architecture for the design of an industrial temperature feedback welding control system, 499
Process planning
A holonic architecture of the concurrent integrated process planning system, 267
An approach for interlinking design and process planning, 589
Process planning and scheduling
A multi-agent based manufacturing control strategy for responsive manufacturing, 379
Product definition
Collaborative product definition on the Internet: a case study, 51
Product development
Research into the engineering application of reverse engineering technology, 472
Current practice of engineering change management in Hong Kong manufacturing industries, 481
Product family
Research and development on constraint-based product family design and assembly simulation, 257
Production scheduling
A holonic architecture of the concurrent integrated process planning system, 267
Production technology
Simulation based analysis of complex production systems with methods of non-linear dynamics, 28
Productivity Council
Hong Kong productivity council—the I-hub of productivity in Hong Kong, 596
Program download
Post-processing methodologies for off-line robot programming within computer integrated manufacture, 8
Pulse frequency
A study on the laser marking process of stainless steel, 273

Quality control
Automatic colour printing inspection by image processing, 373
Quality function deployment (QFD) methodology
e-Enterprise and management course development using strategy formulation framework for vocational education, 604
Questionnaire survey
A study into the use of the process failure mode and effects analysis (PFMEA) in the automotive industry in the UK, 348

Rapid prototyping
A generic algorithm for a best part orientation system for complex parts in rapid prototyping, 110
Rapid prototyping for self-similarity design, 219
Re-engineering the roto-casting mould making process, 527
Rare earth elements
Microstructural characteristics of laser clad coatings with rare earth metal elements, 448
Real-time
An USB-based software CNC system, 286
Rear axle housing
Rigid–plastic finite element analysis of hydroforming process and its applications, 187
Reciprocating extrusion
Transient melting models for the three stages of reciprocating extrusion, 170
Recycling
A process for incorporating automotive shredder residue into thermoplastic mouldings, 327
Recycling properties
Processing of natural-fibre reinforced polymers and the resulting dynamic–mechanical properties, 140
Reinforced polymers
Processing of natural-fibre reinforced polymers and the resulting dynamic–mechanical properties, 140
Residual curvature
Springback of sheet metal laminates in draw-bending, 341
Residual stress
Effect of machining parameters and heat treatment on the residual stress distribution in titanium alloy IMI-834, 628
Reverse engineering
Research into the engineering application of reverse engineering technology, 472
Rigid–plasticity
A simple volume loss recovery scheme in non-steady state metal forming analysis by the rigid–plastic FEM, 195
Ring-rolling
An ALE approach for finite element ring-rolling simulation of profiled rings, 559
Robot simulation
Post-processing methodologies for off-line robot programming within computer integrated manufacture, 8
Robotic welding
A reference architecture for the design of an industrial temperature feedback welding control system, 499
Roll-over depth
Finite element simulation of the shearing mechanism in the blanking of sheet metal, 64
Rotary furnace
Numerical modelling of the rotary furnace in aluminium recycling processes, 567
Roto-casting mould making
Re-engineering the roto-casting mould making process, 527
Roundness
Stretch-drawing of titanium sheets, 201

SAE 8C Corporate Culture Model
8C plus 6C management model for multi-national corporation: a locally compatible and globally fit culture model, 44
SAE 6C self-actualisation engine
8C plus 6C management model for multi-national corporation: a locally compatible and globally fit culture model, 44
Sandwich sheet
Formability of AA5182/polypropylene/AA5182 sandwich sheets, 1
SAP
Computerised price quoting system for injection mould manufacture, 212
Saw blade wear
Study on the fuzzy ranking of granite sawability, 277
Sawing
Force ratio in the circular sawing of granites with a diamond segmented blade, 281
Sawing force
Study on the fuzzy ranking of granite sawability, 277
Scratch
Scratch characteristics for non-vinyl pre-coated metal sheet using the simple U-bending process, 414

Security
Security technology of smart cards applied in an information system, 243
Application of Smart Card security technology in manufacturing, 440
Semantic drives
A semantic style driving method for products' appearance design, 233
Shape imperfection
Stretch-drawing of titanium sheets, 201
Shape memory alloy
A one-cycle training technique for copper-based shape memory alloys, 117
Shear damage
An experimental study of shear damage and failure of aluminium alloy 2024T3, 208
Sheared edge shape
Finite element simulation of the shearing mechanism in the blanking of sheet metal, 64
Sheet metal blanking
Finite element simulation of the shearing mechanism in the blanking of sheet metal, 64
Sheet metal formability
Formability of AA5182/polypropylene/AA5182 sandwich sheets, 1
Sheet metal forming
Data fusion of distributed AE sensors for the detection of friction sources during press forming, 368
A novel technique of friction aided deep drawing using a blankholder divided into four segments, 408
Sheet metal laminates
Springback of sheet metal laminates in draw-bending, 341
Simulation
Simulation based analysis of complex production systems with methods of non-linear dynamics, 28
An intelligent and adaptive modelling and configuration approach to manufacturing systems control, 103
Research and development on constraint-based product family design and assembly simulation, 257
SLE4442
Application of Smart Card security technology in manufacturing, 440
Small-scale resistance spot welding
Numerical study on the effect of electrode force in small-scale resistance spot welding, 635
Smart Cards
Security technology of smart cards applied in an information system, 243
Application of Smart Card security technology in manufacturing, 440
SME
Hong Kong productivity council—the I-hub of productivity in Hong Kong, 596
SMEs
An organizational culture and the empowerment for change in SMEs in the Hong Kong manufacturing industry, 505
Socket wrench
A UBET analysis of the non-axisymmetric combined extrusion process, 547
Solidification
Microstructure of laser melted Zn–Al-based alloy, 296
Solid-state transformation
Preparation of metastable precursors with different compositions of Ti–Al–Si by mechanical alloying, 434
Spatter prevention
Spatter prevention during the laser drilling of selected aerospace materials, 71
Sphericity error
Evaluation of circularity and sphericity from coordinate measurement data, 90
Springback
Springback of sheet metal laminates in draw-bending, 341
Scratch characteristics for non-vinyl pre-coated metal sheet using the simple U-bending process, 414
Stainless steel
A study on the laser marking process of stainless steel, 273
STEP
An approach for interlinking design and process planning, 589
STM
Study of the ground workpiece surface topography in high-speed precision grinding using a scanning tunneling microscopy, 263
Strain localization
Simulation of necking using a damage coupled finite element method, 510
Strain-gauge technique
Effect of machining parameters and heat treatment on the residual stress distribution in titanium alloy IMI-834, 628
Strategy formulation framework
e-Enterprise and management course development using strategy formulation framework for vocational education, 604
Stretch-bending and -unbending
Springback of sheet metal laminates in draw-bending, 341
Stretch-drawing
Stretch-drawing of titanium sheets, 201
Subframe
Rigid–plastic finite element analysis of hydroforming process and its applications, 187
Superplastic forming
A coupled thermo-viscoplastic formulation at finite strains for the numerical simulation of superplastic forming, 514
Superplasticity
Superplasticity and cavity stringers in a multiphase NiAl-based intermetallic alloy, 337
Surface defect
Determination of welding pressure in the non-steady-state porthole die extrusion of improved Al7003 hollow section tubes, 428
Surface finish
A generic algorithm for a best part orientation system for complex parts in rapid prototyping, 110
Surface hardening
Surface hardening of steel using a high power diode laser, 585
Surface integrity
Study of the surface integrity of the machined workpiece in the EDM of tungsten carbide, 315
Surface location
A best-fitting algorithm for optimal location of large-scale blanks with free-form surfaces, 310
Surface roughness
An approach for interlinking design and process planning, 589
SWOT matrix
e-Enterprise and management course development using strategy formulation framework for vocational education, 604
Systematic innovation
Systematic innovation and the underlying principles behind TRIZ and TOC, 120

Temperature distribution
Numerical modelling of the rotary furnace in aluminium recycling processes, 567
Temperature profiles
Numerical study on the effect of electrode force in small-scale resistance spot welding, 635

The Analects of Confucius
8C plus 6C management model for multi-national corporation: a locally compatible and globally fit culture model, 44
The minimum zone method
A new algorithm for evaluating form error: the valid characteristic point method with the rapidly contracted constraint zone, 247
The "software" and "hardware" of a change process
An organizational culture and the empowerment for change in SMEs in the Hong Kong manufacturing industry, 505
Thermal analysis
Numerical methods to improve the computational efficiency of thermal analysis for the die casting process, 457
Thermomechanical treatments
Thermomechanical processing and characterisation of multi-phase microstructures in a V-bearing medium carbon micro-alloyed steel, 642
Thickness deviation
Deformation behavior of tubes with thickness deviation in circumferential direction during hydraulic free bulging, 58
Thin-walled structure
Finite element method analysis and control stratagem for machining deformation of thin-walled components, 332
Three stages
Transient melting models for the three stages of reciprocating extrusion, 170
Three-dimensional object measurement
Surface mapping of three-dimensional objects by a planar light scanning technique, 96
Three-way tube
Technological study of the hydraulic extrusion–bulge forming of a three-way tube, 469
Titanium sheet
Stretch-drawing of titanium sheets, 201
TOC
Systematic innovation and the underlying principles behind TRIZ and TOC, 120
Tolerance
An approach for interlinking design and process planning, 589
Tool
Tools optimisation in cross wedge rolling, 153
Tool breakage monitoring
On-line tool breakage monitoring in turning, 237
Tool deflection
Error compensation in the end milling of pockets: a methodology, 21
Toughened thermoset
Cost effective reprocessing of polyurethane by hot compression moulding, 322
TQM
A study into the use of the process failure mode and effects analysis (PFMEA) in the automotive industry in the UK, 348
Trade-offs
Systematic innovation and the underlying principles behind TRIZ and TOC, 120
Training method
A one-cycle training technique for copper-based shape memory alloys, 117
Transformation
Surface mapping of three-dimensional objects by a planar light scanning technique, 96
Transient melting models
Transient melting models for the three stages of reciprocating extrusion, 170
Tree structure
Analysis and implementation of the BOM of a tree-type structure in MRPII, 535
TRIZ
Systematic innovation and the underlying principles behind TRIZ and TOC, 120
Tube
Deformation behavior of tubes with thickness deviation in circumferential direction during hydraulic free bulging, 58
Tungsten carbide
Study of the surface integrity of the machined workpiece in the EDM of tungsten carbide, 315
Two-way shape memory effect
A one-cycle training technique for copper-based shape memory alloys, 117

U-bending test
Scratch characteristics for non-vinyl pre-coated metal sheet using the simple U-bending process, 414
UBET
A UBET analysis of the non-axisymmetric combined extrusion process, 547
Ultrasonic
A study of ultrasonically aided micro-electrical-discharge machining by the application of workpiece vibration, 226
Unified-sequential market clearing
Advances in e-manufacturing: foundations of market-based collaborative planning and control of distributed multiple product development projects, 178
USB
An USB-based software CNC system, 286

Variable frequency microwave (VFM) facilities
Variable frequency microwave (VFM) processing facilities and application in processing thermoplastic matrix composites, 291
VDIF steel
Computer simulation of sheet metal forming based on damage mechanics approach, 553
Virtual reality
A virtual design platform for interactive product design and visualization, 402
Visco-plasticity
A coupled thermo-viscoplastic formulation at finite strains for the numerical simulation of superplastic forming, 514
Vocational education
e-Enterprise and management course development using strategy formulation framework for vocational education, 604
Volume loss
A simple volume loss recovery scheme in non-steady state metal forming analysis by the rigid–plastic FEM, 195
Volumetric error
A generic algorithm for a best part orientation system for complex parts in rapid prototyping, 110

Warm-forging
Flow stress of carbon steel 08F in temperature range of warm-forging, 543
Web
A Web-based CAD system, 229
Web-enabled application
A virtual design platform for interactive product design and visualization, 402
Weld quality
A reference architecture for the design of an industrial temperature feedback welding control system, 499
Welding chamber
Determination of welding pressure in the non-steady-state porthole die extrusion of improved Al7003 hollow section tubes, 428

Welding pressure
Determination of welding pressure in the non-steady-state porthole die extrusion of improved Al7003 hollow section tubes, 428
Welding strength
Determination of welding pressure in the non-steady-state porthole die extrusion of improved Al7003 hollow section tubes, 428
Wettability
Spatter prevention during the laser drilling of selected aerospace materials, 71
Windows
A Windows-native 3D plastic injection mold design system, 81
Windscreen manufacture
Development and implementation of visual feedback technology in automotive windscreen manufacture, 357
Workflow modeling
Petri Net-based workflow management systems for in-process control in a plastic processing plant, 302
Workpiece vibration
A study of ultrasonically aided micro-electrical-discharge machining by the application of workpiece vibration, 226
World Wide Web Internet
Potential manufacturing productivity changes arising from the application of Internet-based technologies, 35
World-class excellence
8C plus 6C management model for multi-national corporation: a locally compatible and globally fit culture model, 44

Zn–Al alloy
Microstructure of laser melted Zn–Al-based alloy, 296